



## **Documentation HEALTH**

---

Individual health status variables 2002, 2004, 2006 (long format)

---

## General information:

Starting in 2002 the SOEP health module in the individual questionnaire has been revised and put into a two year replication period. In the HEALTH-File users find the generated SF-12-Variables and variables on height and weight with imputation flags and a user-friendly longitudinal checked generated variable of the Body Mass Index (BMI). Eligible for this file are persons with successful individual questionnaires have been selected for the rectype HEALTH (\$netto >= 10 & \$netto < 20). The file has a long-format and additional SORTID with the variable SVYYEAR (Survey-Year).

In 2006 the SF12 could not any longer been generated for the group of first time respondents (age 16/17 = 307).

**valid completeness status of SOEPvSF12 \* svyyear Survey Year Kreuztabelle**

		svyyear Survey Year			Gesamt
		2002	2004	2006	
valid completeness status of SOEPvS-F12	-2 does not apply	0	0	307	307
	1 yes	23064	21248	21754	66066
	2 no	828	771	604	2203
Gesamt		23892	22019	22665	68576

## List of Variables :

<a href="#">General information:</a>	<a href="#">2</a>
<a href="#">SVYYEAR</a>	<a href="#">3</a>
<a href="#">VALID</a>	<a href="#">3</a>
<a href="#">MCS</a>	<a href="#">3</a>
<a href="#">PCS</a>	<a href="#">4</a>
<a href="#">pf_nbs</a>	<a href="#">4</a>
<a href="#">rp_nbs</a>	<a href="#">4</a>
<a href="#">bp_nbs</a>	<a href="#">4</a>
<a href="#">gh_nbs</a>	<a href="#">5</a>
<a href="#">vt_nbs</a>	<a href="#">5</a>
<a href="#">sf_nbs</a>	<a href="#">5</a>
<a href="#">re_nbs</a>	<a href="#">5</a>
<a href="#">mh_nbs</a>	<a href="#">7</a>
<a href="#">BMI</a>	<a href="#">8</a>
<a href="#">HEIGHT</a>	<a href="#">8</a>
<a href="#">FHEIGHT</a>	<a href="#">8</a>
<a href="#">BWEIGHT</a>	<a href="#">9</a>
<a href="#">FWEIGHT</a>	<a href="#">9</a>

## SVYYEAR

Var Label : SVYYEAR **Year the data collection of this file took place**  
Var format : valid (I4)

Comment:

This file contains detailed health information that had been collected since 2002 (wave S) in a two year replication cycle. All persons with successful individual questionnaires have been selected for the rectype HEALTH ( $\$netto \geq 10$  &  $\$netto < 20$ ).

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

## VALID

Var Label : VALID **Completeness of Generation of SOEPvSF12**  
Var format : valid (D10.6)

Comment:

The variable VALID indicates the completeness status of all twelve variables necessary to calculate the SOEPvSF12 scale.

- (-2) did not apply
- (1) yes - SOEPvSF12 indicators have valid scoring
- (2) no - missing SOEPvSF12 scoring

This information is available since 2002 (wave S) and will be provided for every second year.

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

## MCS

Var Label: **Mental Component Summary Scale (Mental Health)**  
Var format : mcs (D10.6)

Comment:

The variable mcs is calculated using explorative factor analysis (PCA, varimax rotation). The mean value of the SOEP 2004 population 50 points and SD of 10 points.

Details are documented in:

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), (in print)

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

## PCS

Var Label: **Physical Component Summary Scale (Physical Health)**  
Var format : pcs (D10.6)

The variable pcs is calculated using explorative factor analysis (PCA, varimax rotation). The mean value of the SOEP 2004 population 50 points and SD of 10 points.

Details are documented in:

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), (in print)

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

## PF\_NBS

Var Label: **Physical Functioning (2 vars) norm-based scoring (NBS)**  
Var format : pf\_nbs (D10.6)

The variable pf\_nbs is calculated as a z-transformed scale. Details are documented in:

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), (in print)

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

## RP\_NBS

Var Label: **Role Physical (2 vars) norm-based scoring (NBS)**  
Var format : rp\_nbs (D10.6)

The variable rp\_nbs is calculated as a z-transformed scale. Details are documented in:

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), (in print)

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

## BP\_NBS

Var labels: **Bodily pain (1 var) norm-based scoring (NBS)**  
Var format : bp\_nbs (D10.6)

The variable bp\_nbs is calculated as a z-transformed scale. Details are documented in:

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), (in print)

## Documentation of the variables in the long-format-file HEALTH

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

### **GH\_NBS**

Var labels: **General health (1 var) norm-based scoring (NBS)**  
Var format : gh\_nbs (D10.6)

The variable gh\_nbs is calculated as a z-transformed scale. Details are documented in:

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), (in print)

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

### **VT\_NBS**

Var labels: **Vitality (1 var) norm-based scoring (NBS)**  
Var format : vt\_nbs (D10.6)

The variable vt\_nbs is calculated as a z-transformed scale. Details are documented in:

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), (in print)

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

### **SF\_NBS**

Var labels: **Social functioning (1 var) norm-based scoring (NBS)**  
Var format : sf\_nbs (D10.6)

The variable sf\_nbs is calculated as a z-transformed scale. Details are documented in:

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), (in print)

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

### **RE\_NBS**

Var labels: **Role emotional (2 vars) norm-based scoring (NBS)**  
Var format : re\_nbs (D10.6)

The variable re\_nbs is calculated as a z-transformed scale. Details are documented in:

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), (in print)

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )



## MH\_NBS

Var labels: **Mental health (2 vars) norm-based scoring (NBS)**

Var format : mh\_nbs (D10.6)

The variable mh\_nbs is calculated as a z-transformed scale. Details are documented in:

Matthias Nübling, Hanfried H. Andersen, Axel Mühlbacher, Jürgen Schupp, and Gert G. Wagner (2007): Computation of Standard Values for Physical and Mental Health Scale Scores Using the SOEP Version of SF12v2. Schmollers Jahrbuch, Vol. 127(1), (in print)

For more information, contact: Jürgen Schupp (Tel. +49-30-89789-238 / [jschupp@diw.de](mailto:jschupp@diw.de) )

## BMI

Var Label : BMI **Body-Mass-Index**  
Var format : BMI (F3)

Comment:

The variable BMI represents the Body-Mass-Index of the respondents. It is calculated from the variables BWEIGHT and HEIGHT by the formula  $BMI=BWEIGHT/(HEIGHT)**2$ .

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / [mgrabka@diw.de](mailto:mgrabka@diw.de) )

## HEIGHT

Var Label : HEIGHT **Height in cm**  
Var format : HEIGHT (I4)

Comment:

The variable HEIGHT represents the body Height of the respondents in cm which is directly asked in every second year since 2002 (Wave S). The corresponding variable can be found in the \$P-file.

In contrast to the \$P-variable the variable HEIGHT is edited with respect to item-nonresponse and outliers.

In case of item-nonresponse missing values are imputed by the most recent existing value.

It is assumed that for a two-year-period a change of body height of more than 10 cm is implausible if the values of the other observation years differ only in a range of at most 2 cm. Thus the respective information is imputed by the average of the other values of the respondent.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / [mgrabka@diw.de](mailto:mgrabka@diw.de) )

## FHEIGHT

Var Label : FHEIGHT **Imputation Flag for Height\$\$**  
Var format : FHEIGHT (I1)

Comment:

The variable FHEIGHT\$\$ designates imputations of item-nonresponse respectively edited values in the variable HEIGHT.

FHEIGHT can take the values

0 = "No Imputation" or

1 = "Imputed or edited".

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / [mgrabka@diw.de](mailto:mgrabka@diw.de) )

## BWEIGHT

Var Label : BWEIGHT **Body Weight in kg**  
Var format : BWEIGHT (I4)

Comment:

The variable BWEIGHT represents the body weight of the respondents in kg which is directly asked in every second year since 2002 (Wave S). The corresponding variable can be found in the \$P-file.

In contrast to the \$P-variable the variable BWEIGHT is edited and imputed with respect to item-nonresponse and outliers.

In case of item-nonresponse missing values are imputed by the most recent existing value.

It is assumed that for a two-year-period a change of body weight of more than 35 kg is implausible if the values of the other observation years differ only in a range of at most 7 kg. Thus the respective information is imputed by the average of the other values of the respondent.

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / [mgrabka@diw.de](mailto:mgrabka@diw.de) )

## FWEIGHT

Var Label : FWEIGHT **Imputation Flag for BWEIGHT**  
Var format : FWEIGHT (I1)

Comment:

The variable FWEIGHT\$\$ designates imputations of item-nonresponse respectively edited values in the variable BWEIGHT.

FWEIGHT can take the values

0 = "No Imputation" or

1 = "Imputed or edited".

For more information, contact: Markus M. Grabka (Tel. +49-30-89789-339 / [mgrabka@diw.de](mailto:mgrabka@diw.de) )